

## TIM

**ECATALOG 2018-2019** 





## REPUBLIC FLOORS is all about innovation that gives you the freedom of choice.

Until now, people who wished to floor their homes had the choice between the products of big manufacturers - who typically offer decent products at high prices and limited range – and imports that offer a large variety of styles at low cost, but suffer from dubious quality and reliability.

Many such imports don't even conform to loniont.

Many such imports don't even conform to lenient US health codes - let alone California's strict CARB requirements.

With REPUBLIC all that has changed. REPUBLIC was created to offer the best of both worlds – great, GUARANTEED quality, offered in range of dazzling styles – and all at lower prices.

We can do all that because we don't IMPORT our products from unknown makers in the Far East—we MANUFACTURE it in the Far East ourselves or we import it from the finest floor makers in Europe.

### REPUBLIC: you never have to settle for less.

The benefits of SPC	3
Great California Oak collection	4
Great Oregon Oak collection	6
Coastal Oak collection	8
Beach House collection	10
Mountain Oak collection	12
The French Island collection	14
The Lake collection	16
Carmel By The Sea collection	18
Crown Colony collection	20
Countryside collection	22
General Information	24
Warranty Information	25
Maintenace Information	26






### The Benefits of SPC Flooring

- There is little doubt that Stone Plastic Composite (SPC) flooring is emerging as one of the most popular flooring categories today. But what is SPC and what is the reason behind that popularity? Here are a few answers to some key questions.
- What is SPC?
   SPC is a composite material that does not contain any wood. It is waterproof, rigid and stable. SPC products are commonly referred to as enhanced vinyl plank, luxury vinyl flooring or waterproof vinyl.
- Is SPC better than laminate?
   The biggest advantage of SPC is that it's waterproof and appropriate for areas where laminate shouldn't be used bathrooms, for example. In addition, the wear layer of SPC offers more cushion and absorbs sound to make a quieter floor.
- How is SPC different from LVT? This biggest difference between SPC and LVT is that SPC is waterproof. It can also be laid over most subfloors with little preparation. Unlike traditional vinyl floor that will highlight any unevenness present in the subfloor, the rigid core of SPC flooring allows for longer and wider format options so you don't have to worry when installing over cracks or divots in subfloors.









GREAT CALIFORNIA OAK

The Republic Great California Oak collection, with its beveled edges and realistic grains, looks practically identical to real wood flooring, but is far more durable and affordable than ever AND is 100% waterproof! Republic's new Extra-Wide floor features wider and longer planks for a more authentic

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and guicker it also offers excellent noise insulation never available before.

Republic's Pure SPC floors are stronger and snap into place much easier

They also last longer and true to the Republic way, are completely green.

Warranty: Limited 25 Years Residential and 10 Years Commercial.

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Recommended Usage: Residential and Commercial.















Extra-Wide Pure SPC Flooring Extra-Wide planks: 228mm (9") Extra-Long planks: 1524mm (60")

Total Thickness: 8mm (Including anti-bacterial EVA)









The mighty, native oaks of the Pacific Northwest are known for their enduring strength. The Republic Great Oregon Oak Collection provides you with the natural beauty and durability of these majestic trees. Republic's new Extra-Wide floor features wider and longer planks for a more authentic old-floor look and feel.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Republic's Pure SPC floors are stronger and snap into place much easier than other floors.

They also last longer and true to the Republic way, are completely green.

Edge Profile: EIR+sided bevel.

Warranty: Limited 25 Years Residential and 10 Years Commercial.

Extra-Long planks: 1524mm (60").

Extra-Wide planks: 228mm (9").

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF

Wear laver: 0.5mm/20mil.

**Recommended Usage:** Residential and Commercial.

**Installation method:** Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.
















Extra-Wide Pure SPC Flooring Extra-Wide planks: 228mm (9") Extra-Long planks: 1524mm (60")

Total Thickness: 8mm (Including anti-bacterial EVA)





















Pure SPC Flooring Planks Length: 1220mm (48") Planks Width: 182mm (7 5/32") Thickness: 6.3mm























For those who enjoy the view of the snow capped Denali, or the breezy, calm feel of the live oaks on the coast of Carmel, our Mountain Oak Collection is right for you.

Republic's own technology has ensured that these floors remain completely durable and 100% waterproof, while giving the look and feel of real hardwood flooring.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof and carries a limited 25 year residential warranty and a limited 10 year commercial warranty. Republic's Pure SPC floors are stronger and snap into place much easier than other floors.

They also last longer and, true to the Republic way, are completely green.

Edge Profile: EIR+4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Extra-long planks: 1524mm (60"). Extra-Wide planks: 228mm (9").

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

**Construction:** Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

**Installation method:** Glueless Floating.

Installation level: All Grades.















Extra-Wide Pure SPC Flooring Extra-Wide planks: 228mm (9") Extra-Long planks: 1524mm (60")

Total Thickness: 8mm (Including anti-bacterial EVA)



















Pure SPC Flooring

Long planks: 1545mm (60 7/8")

Total Thickness: 6.5mm
















Plank Dimensions: 7-1/8" x 48"

Thickness: 6.3mm







while being 100% waterproof and durable. These floors look identical to real wood and utilize Republic's own technology, making the floors

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and

Republic's Pure SPC floors are stronger and snap into place much easier than other floors. They also last longer and true to the Republic way, are completely green.

Surface: 4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Planks Length: 1220mm (48"). Planks Width: 180mm (7 3/32").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 23.64 SQF. Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

**Installation method:** Glueless Floating.

Installation level: All Grades. Matching Moldings Available. G G Schools









**Total Thickness: 8mm** 







The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Republic's Pure SPC floors are stronger and snap into place much easier than other floors. They also last longer and true to the Republic way, are completely green.

Surface: 4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Planks Length: 1524mm (60").
Planks Width: 182mm (7 11/64").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 29.86 SQF.
Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

**Installation method:** Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.

ATERDADO CO









**RECR2602** New South Wales





RECR2604 South Georgia



**Pure SPC Flooring** Planks Length: 1524mm (60") Total Thickness: 8mm









The Countryside collection from Republic provides the soft, neutral colors of the backwoods while staying true to our very own technology that provides durability and is 100% waterproof. Republic's new Extra-Wide floor features wider and longer planks for a more authentic old-floor look and feel.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Republic's Pure SPC floors are stronger and snap into place much easier than other floors. They also last longer and true to the Republic way, are completely green.

Surface: 4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Extra-Long Planks: 1524mm (60"). Extra-Wide Planks: 228mm (9").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

**Installation method:** Glueless Floating.


Installation level: All Grades.

Matching Moldings Available.















Pure SPC Flooring Long planks: 1524mm (60") Total Thickness: 8mm





### Installation instructions

### **Product Inspections**

Inspection of all flooring material must be done before installation.

Materials with visible defects are not covered under warranties once they are installed. Our Pure SPC floors are manufactured in accordance with accepted industry standards, which permit defect tolerance not to exceed 2%.

### **Sub-Floor Preparation**

- Sub-floor must be flat, dry, smooth, level, free from residues and structurally sound.
- A level slope is a foundation that is less from 5mm over 2 meters or 1/4" over 6 feet.
- Documents must be kept of all test results for warranty purposes.

### **Preparing the Room**


• Check that the doors can still open and close after Pure SPC flooring is installed.

### **Radiant Floor Heating**

- Pure SPC can be installed over a multiple of in-floor heating systems, provided that instructions from the supplier of the in-floor heating system are followed.
- Pure SPC floors can be cast in a concrete floor or in thin layer of filler on the surface of concrete sub-floor. In addition, they can be installed under a wood sub-floor or installed on the surface of the sub-floor as electrical matting.
- The temperature of the sub-floor or the heat radiating from electric heating mats should not exceed 84 degrees Fahrenheit (29 degree Celsius).

### **Installation Guidelines**

- Pure SPC flooring must be installed indoors.
- Pure SPC flooring should not be exposed to temperatures above 140° F (60° C) or below 32° F (0° C).







### Warranty


Pure SPC flooring carries a limited 25 year residential warranty and a limited 10 year commercial warranty for wear to the finish under proper usage and maintenance conditions. Pure SPC flooring is guaranteed to be 100% waterproof but spills should be cleaned in a timely manner to prevent the possibility of mold or mildew growth.

The guarantee applies only to the original purchaser and proof of purchase is required for all claims. The guarantee is for replacement or refund of the Pure SPC material only, not for any labor. Claims for wear must show a minimum dime size area. This guarantee is pro-rated based on the amount of time the Pure SPC floor has been installed.

A percentage would be replaced depending on the length of time since the Pure SPC floor was installed. Defect of goods must be proven by inspection procedures deemed proper by the Manufacturer. Warranty is conditioned upon Manufacturers receipt of notice in writing from the buyer of the alleged defect prior to expiration of the warranty period and evidence that the products were properly installed by a licensed installer and not subject to any of the exclusions described below.

### **Exclusions**

- Any visible defects noted after installation.
- Consequential or incidental damages, such as any loss, expense or damages other than to the flooring itself that may result from a defect in the flooring.
- Improper installation including, but not limited to, installation by non-licensed individual(s).
- Improper maintenance or inadequate care, including, but not limited to, mold or mildew growth as a result of excessive moisture accumulation.
- Accidents, abuse, or misuse.
- Building settling or uneven sub-floor.
- Damages caused by furniture without felt pads or protective covers.
- Damages caused by sharp objects making contact with the floor.
- Damage caused by excessive sunlight.
- Damages caused by urine or other bodily fluids.



# Pure SPC TM



### **Maintenance Information**

- Place natural fiber rugs at entry points to help trap grit and absorb moisture that may damage the finish. This can protect the floors from dirt or wear.
- To prevent abrasive dirt and dust from accumulating and scratching the finish, vacuum, sweep or dust mop your floor once a week or more if needed. The vacuum head should be a brush or felt attachment. Do not use a vacuum with a beater bar head.
- We recommend Basic Coatings Squeaky Clean or Bona Hardwood Cleaner for regular cleaning and removing grease and smudges from your floor.
- Do not use harsh abrasive cleaners, bleach, ammonia or vinegar based cleaners, wax or acrylic polishes, or oil soaps. These may dull or damage the finish, leaving a greasy film and making the floor slippery and more difficult to clean.
- Protect your floor against direct sunlight or any intense source of artificial lighting. Over time, intense natural and artificial light may discolor the floors.
- Do not roll, or drag heavy objects across your floor. Do not wear shoes having heel taps, spikes, cleats, rocks, gravel or sharp objects protruding from the sole.
- Add felt pads to all furniture and chair legs to prevent damage to the floor.
   Replace the felt pads when dirty or worn. For extremely heavy objects, use wide, non staining rubber cups. Protective floor coverings for wheeled office furniture should be used.

